

VERTICABLE®



VertiCable® Aluminum Railing








VertiCable (C80) without Mounts 5/8" Round Baluster 1/8" Stainless Steel Cable

CCRR-0163 Complies with IBC, IRC, and FBC. For code compliance information visit westburyrailing.com

VertiCable (C80) Section with Mounts Specifications

Sections Include: Factory Assembled Section, Mounts (4), and Installation Instructions.




Section Type			Height				
	4'	5'	6'	7'	8'	36"	42"
Straight w/Aluminum Balusters		•	•			•	
Straight w/Aluminum Balusters and Rail Support							
Straight w/Stainless Steel Balusters			•				
Stair w/Stainless Steel Balusters			•				•

VertiCable (C80) Section without Mounts Specifications

Sections Include: Factory Assembled Section (Compatible with Assembled Posts) and Installation Instructions.

Sections are available in four Powdered Coated Colors: Black Fine Texture, Bronze Fine Texture, White Fine Texture, and Gloss White.



Section Type			Height				
	4'	5'	6'	7'	8'	36"	42"
Straight w/Aluminum Balusters			•				
Straight w/Aluminum Balusters and Rail Support					•	•	
Stair w/Stainless Steel Balusters			•				

GATES & HARDWARE

DSI offers matching gates for most Westbury® Aluminum Railing styles*. Gates allow the flexibility to "enclose" your railing area, keeping your family safe from stair hazards and your pets limited to your deck or patio area. All Westbury® C Series gates, with the exception of Veranda (a welded gate), are adjustable.

*We suggest a Tuscany Gate with the Montego Railing.



Montego Railing with Tuscany Gate

Adjustable Gates



Tuscany Series 36"W, 48"W, and 60"W Openings



VertiCable® 36"W, 48"W, and 60"W Openings



Riviera Series 36"W, 48"W, and 60"W Openings

Welded Gates



Veranda 36"W, 48"W, and 60"W Openings 1/4" Tempered Glass

Latches



Lokk Latch



Lokk Latch



Magna-Latch





Lokk Latch Magnetic



Gravity

Hinges



Tru Close Hinge



Kwik Fit Hinge



Medium

Duty Hinge

Canebolt



Canebolt (Drop Pin Kit)